
cmif Documentation

Release 2022.11.27

Donatus Herre

Nov 27, 2022

Contents

1	Reference	1
1.1	build module	1
1.2	extract module	3
1.3	demo module	5
1.4	local module	5
1.5	retrieve module	5
1.6	service module	6
1.7	authority module	6
1.8	model module	6
2	Indices and tables	7
	Python Module Index	9
	Index	11

CHAPTER 1

Reference

1.1 build module

build XML data in CMI format

```
cmif.build.add_attrib(element, name, value)
    add attribute to element if value != ""

cmif.build.add_child(parent, element)
    add element to parent if not None

cmif.build.add_children(parent, elements)
    add elements to parent if not None

cmif.build.add_pi(tree)
    add processing instruction <?xml-model?> to given element tree

cmif.build.ns_cs(attrib)
    add correspSearch namespace to given attribute

cmif.build.ns_xml(attrib)
    add xml namespace to given attribute

cmif.build.pi_rng()
    create processing instruction <?xml-model?>

cmif.build.pretty(element)
    pretty print given elements

cmif.build.tei_availability(child_license=None)
    create TEI element <availability> with (optional) child element <licence>

cmif.build.tei_bibl(elem_text, attrib_type, attrib_xml_id=None, domain=None)
```

create TEI element <bibl> with given text, @type and (optional) @xml:id
if @xml:id is None a uuid is being generated

if domain is None the uuid will be random
if domain is not None the uuid will be static

cmif.build.**tei_bibl_id**(domain=None)

generate uuid for @xml:id of TEI element <bibl> by given domain
if domain is None a random uuid is being generated

cmif.build.**tei_body**()
create TEI element <body>

cmif.build.**tei_corresp_action**(attrib_type, children=None)
create TEI element <correspAction> with @type and (optional) children

cmif.build.**tei_corresp_desc**(attrib_key=”, attrib_ref=”, attrib_source=”, children=None)
create TEI element <correspDesc> with @ref, @source and (optional) children

cmif.build.**tei_date**(attrib_when=”, attrib_from=”, attrib_to=”, attrib_not_before=”, attrib_not_after=”, attrib_evidence=None, attrib_cert=None)

create TEI element <date> with @when, @from, @to, @notBefore or @notAfter
and (optional) @evidence and @cert

cmif.build.**tei_editor**(elem_text)
create TEI element <editor> with given element text

cmif.build.**tei_email**(elem_text)
create TEI element <email> with given element text

cmif.build.**tei_file_desc**(children=None)
create TEI element <fileDesc> with (optional) children

cmif.build.**tei_header**(children=None)
create TEI element <teiHeader> with (optional) children

cmif.build.**tei_idno**(elem_text, attrib_type='url')
create TEI element <idno> with @type

cmif.build.**tei_license**(elem_text=”, attrib_target=”)
create TEI element <licence> with (optional) text and @target

cmif.build.**tei_org_name**(elem_text, attrib_ref=”, attrib_evidence=None, attrib_cert=None)

create TEI element <orgName> with given element text, @ref
and (optional) @evidence and @cert

cmif.build.**tei_p**()
create TEI element <p>

cmif.build.**tei_pers_name**(elem_text, attrib_ref=”, attrib_evidence=None, attrib_cert=None)

create TEI element <persName> with given element text, @ref
and (optional) @evidence and @cert

cmif.build.**tei_place_name**(elem_text, attrib_ref=”, attrib_evidence=None, attrib_cert=None)

create TEI element <placeName> with given element text, @ref
and (optional) @evidence and @cert

```
cmif.build.tei_profile_desc(children=None)
    create TEI element <profileDesc> with (optional) children

cmif.build.tei_publication_stmt(children=None)
    create TEI element <publicationStmt> with (optional) children

cmif.build.tei_publisher(child_ref=None)
    create TEI element <publisher> with (optional) child element <ref>

cmif.build.tei_ref(elem_text, attrib_target)
    create TEI element <ref> with @target

cmif.build.tei_root(children=None)
    create TEI root element <TEI> with (optional) children

cmif.build.tei_source_desc(children=None)
    create TEI element <sourceDesc> with (optional) children

cmif.build.tei_text()
    create TEI element <text>

cmif.build.tei_text_empty()
    create TEI element <text> with child elements <body> and <p> (empty)

cmif.build.tei_title(elem_text)
    create TEI element <title> with given element text

cmif.build.tei_title_stmt(children=None)
    create TEI element <titleStmt> with (optional) children

cmif.build.tosstr(element)
    convert given element to str
```

1.2 extract module

extract XML data in CMI format

```
cmif.extract.bibl(data, multi=False)
    extract TEI element <bibl>
    set multi to True if multiple references exist

cmif.extract.bibl_id(data, multi=False)
    extract @xml:id from TEI element <bibl>
    set multi to True if multiple references exist

cmif.extract.bibl_text(data, multi=False)
    extract text of TEI element <bibl>
    set multi to True if multiple references exist

cmif.extract.bibl_type(data, multi=False)
    extract @type from TEI element <bibl>
    set multi to True if multiple references exist
```

```
cmif.extract.correspaction(data)
    extract TEI elements <correspAction>

cmif.extract.correspaction_type(data)
    extract @type from TEI elements <correspAction>

cmif.extract.correspdesc(data)
    extract TEI elements <correspDesc>

cmif.extract.correspdesc_key(data)
    extract @source from TEI elements <correspDesc>

cmif.extract.correspdesc_source(data)
    extract @source from TEI elements <correspDesc>

cmif.extract.date_attrib(data)
    extract @ from TEI element <date>

cmif.extract.date_from(data)
    extract @when from TEI element <date>

cmif.extract.date_not_after(data)
    extract @when from TEI element <date>

cmif.extract.date_not_before(data)
    extract @when from TEI element <date>

cmif.extract.date_to(data)
    extract @when from TEI element <date>

cmif.extract.date_when(data)
    extract @when from TEI element <date>

cmif.extract.editor(data, multi=False)

    extract TEI element <editor>
    set multi to True if multiple editors exist

cmif.extract.editor_email(data, multi=False)

    extract text of TEI element <email> from parent <editor>
    set multi to True if multiple editors exist

cmif.extract.editor_name(data, multi=False)

    extract text of TEI element <editor>
    set multi to True if multiple editors exist

cmif.extract.idno(data)
    extract text from TEI element <idno>

cmif.extract.license(data)
    extract text of TEI element <licence>

cmif.extract.license_target(data)
    extract @target from TEI element <licence>

cmif.extract.org_name(data)
    extract text from TEI element <orgName>
```

```
cmif.extract.org_name_ref(data)
    extract @ref from TEI element <orgName>

cmif.extract.pers_name(data)
    extract text from TEI element <persName>

cmif.extract.pers_name_ref(data)
    extract @ref from TEI element <persName>

cmif.extract.place_name(data)
    extract text from TEI element <placeName>

cmif.extract.place_name_ref(data)
    extract @ref from TEI element <placeName>

cmif.extract.publisher(data)
    extract text from child <ref> of TEI element <publisher>

cmif.extract.publisher_target(data)
    extract @target from child <ref> of TEI element <publisher>

cmif.extract.title(data)
    extract text of TEI element <title>
```

1.3 demo module

demo XML data in CMI format

```
cmif.demo.gottsched()
    get data of Gottsched's Briefwechsel as demo for CMI-format

cmif.demo.wieland()
    get data of Wieland's Briefe (1750-1760) as demo for CMI-format
```

1.4 local module

read and write local XML data in CMI format

```
cmif.local.reader(filepath)
    read xml data from given file path

cmif.local.writer(root,file='cmif.xml',path='.')
    write given root element to file at path
```

1.5 retrieve module

retrieve remote XML data in CMI format

```
cmif.retrieve.remote_file(url)
    send http get request to given url
```

1.6 service module

access data in CMI format through correspSearch webservices

```
cmif.service.correspsearch (correspondent=None,           sender=None,           addressee=None,
                           startdate=None,         enddate=None,         place=None,         place-
                           Sender=None,           placeAddressee=None,   cmiFile=None,
                           publication=None,       available=None,       strictDate=False,
                           endpoint='https://correspsearch.net/api/v1.1/tei-xml.xql')
```

query data in CMI format via correspSearch API by given parameters

available endpoints: TEI_XML (default) / TEI_JSON

see <https://correspsearch.net/index.xql?id=api> for details

1.7 authority module

search or retrieve GeoNames

you need to set the environment variable GEO_USER like this:

```
$ export GEO_USER=[my-geonames-account-username]
```

or pass the variable username as parameter to the functions!

```
cmif.authority.geonames.request (geoname_id, style='full', lang=None, username=None)
request GeoNames entity by given id (requires GeoNames username)
```

```
cmif.authority.geonames.search (place, bias='DE', username=None)
search GeoNames entity for given place (requires GeoNames username)
```

1.8 model module

schema models of CMI format

```
cmif.model.odd()
get ODD specification of CMI format
```

```
cmif.model.rng()
get RNG schema of CMI format
```

```
cmif.model.validate (root)
validate XML data of given root against RNG schema
```

CHAPTER 2

Indices and tables

- genindex
- modindex
- search

Python Module Index

C

`cmif.authority.geonames`, 6
`cmif.build`, 1
`cmif.demo`, 5
`cmif.extract`, 3
`cmif.local`, 5
`cmif.model`, 6
`cmif.retrieve`, 5
`cmif.service`, 6

Index

A

add_attrib() (*in module cmif.build*), 1
add_child() (*in module cmif.build*), 1
add_children() (*in module cmif.build*), 1
add_pi() (*in module cmif.build*), 1

B

bibl() (*in module cmif.extract*), 3
bibl_id() (*in module cmif.extract*), 3
bibl_text() (*in module cmif.extract*), 3
bibl_type() (*in module cmif.extract*), 3

C

cmif.authority.geonames (*module*), 6
cmif.build (*module*), 1
cmif.demo (*module*), 5
cmif.extract (*module*), 3
cmif.local (*module*), 5
cmif.model (*module*), 6
cmif.retrieve (*module*), 5
cmif.service (*module*), 6
correspaction() (*in module cmif.extract*), 3
correspaction_type() (*in module cmif.extract*), 4
correspdesc() (*in module cmif.extract*), 4
correspdesc_key() (*in module cmif.extract*), 4
correspdesc_source() (*in module cmif.extract*), 4
correspsearch() (*in module cmif.service*), 6

D

date_attrib() (*in module cmif.extract*), 4
date_from() (*in module cmif.extract*), 4
date_not_after() (*in module cmif.extract*), 4
date_not_before() (*in module cmif.extract*), 4
date_to() (*in module cmif.extract*), 4
date_when() (*in module cmif.extract*), 4

E

editor() (*in module cmif.extract*), 4
editor_email() (*in module cmif.extract*), 4

editor_name() (*in module cmif.extract*), 4

G

gottsched() (*in module cmif.demo*), 5

I

idno() (*in module cmif.extract*), 4

L

license() (*in module cmif.extract*), 4
license_target() (*in module cmif.extract*), 4

N

ns_cs() (*in module cmif.build*), 1
ns_xml() (*in module cmif.build*), 1

O

odd() (*in module cmif.model*), 6
org_name() (*in module cmif.extract*), 4
org_name_ref() (*in module cmif.extract*), 4

P

pers_name() (*in module cmif.extract*), 5
pers_name_ref() (*in module cmif.extract*), 5
pi_rng() (*in module cmif.build*), 1
place_name() (*in module cmif.extract*), 5
place_name_ref() (*in module cmif.extract*), 5
pretty() (*in module cmif.build*), 1
publisher() (*in module cmif.extract*), 5
publisher_target() (*in module cmif.extract*), 5

R

reader() (*in module cmif.local*), 5
remote_file() (*in module cmif.retrieve*), 5
request() (*in module cmif.authority.geonames*), 6
rng() (*in module cmif.model*), 6

S

search() (*in module cmif.authority.geonames*), 6

T

tei_availability() (*in module cmif.build*), 1
tei_bibl() (*in module cmif.build*), 1
tei_bibl_id() (*in module cmif.build*), 2
tei_body() (*in module cmif.build*), 2
tei_corresp_action() (*in module cmif.build*), 2
tei_corresp_desc() (*in module cmif.build*), 2
tei_date() (*in module cmif.build*), 2
tei_editor() (*in module cmif.build*), 2
tei_email() (*in module cmif.build*), 2
tei_file_desc() (*in module cmif.build*), 2
tei_header() (*in module cmif.build*), 2
tei_idno() (*in module cmif.build*), 2
tei_license() (*in module cmif.build*), 2
tei_org_name() (*in module cmif.build*), 2
tei_p() (*in module cmif.build*), 2
tei_pers_name() (*in module cmif.build*), 2
tei_place_name() (*in module cmif.build*), 2
tei_profile_desc() (*in module cmif.build*), 2
tei_publication_stmt() (*in module cmif.build*),
 3
tei_publisher() (*in module cmif.build*), 3
tei_ref() (*in module cmif.build*), 3
tei_root() (*in module cmif.build*), 3
tei_source_desc() (*in module cmif.build*), 3
tei_text() (*in module cmif.build*), 3
tei_text_empty() (*in module cmif.build*), 3
tei_title() (*in module cmif.build*), 3
tei_title_stmt() (*in module cmif.build*), 3
title() (*in module cmif.extract*), 5
tostr() (*in module cmif.build*), 3

V

validate() (*in module cmif.model*), 6

W

wieland() (*in module cmif.demo*), 5
writer() (*in module cmif.local*), 5